

Appendix 3: Stelling Minnis Common. Vascular Plant Species List

Scientific Name	Common Name	Comments
<i>Acer campestre</i>	field maple	KWT-2004. KTNC-1990.
<i>Acer pseudoplatanus</i>	sycamore	KWT-2004. KTNC-1990.
<i>Achillea millefolium</i>	yarrow	KWT-2004. KTNC-1990.
<i>Adoxa moschatellina</i>	moschatel	KWT-2004. KTNC-1990.
<i>Aegopodium podagraria</i>	ground elder	KTNC-1990.
<i>Aethusa cynapium</i>	fool's parsley	KTNC-1990.
<i>Agrimonia eupatoria</i>	agrimony	KTNC-1990.
<i>Agrostis capillaris</i>	common bent	KWT-2004. KTNC-1990.
<i>Agrostis stolonifera</i>	creeping bent	KWT-2004. KTNC-1990.
<i>Agrostis vinealis</i>	brown bent	KWT-2004.
<i>Aira praecox</i>	early hair-grass	KWT-2004.
<i>Ajuga reptans</i>	bugle	KWT-2004. KTNC-1990.
<i>Alliaria petiolata</i>	garlic mustard	KTNC-1990.
<i>Allium ursinum</i>	ramsons	KWT-2004.
<i>Alopecurus pratensis</i>	meadow foxtail	KWT-2004. KTNC-1990.
<i>Anagallis arvensis</i>	scarlet pimpernel	KTNC-1990.
<i>Anemone nemorosa</i>	wood anemone	KWT-2004. KTNC-1990.
<i>Angelica sylvestris</i>	angelica	KTNC-1990.
<i>Anisantha sterilis</i>	barren brome	KTNC-1990.
<i>Anthoxanthum odoratum</i>	sweet vernal-grass	KWT-2004. KTNC-1990.
<i>Anthriscus sylvestris</i>	cow parsley	KWT-2004. KTNC-1990.
<i>Aphanes arvensis</i>	parsley piert	KTNC-1990.
<i>Aphanes</i> sp.	a parsley-piert	KWT-2004.
<i>Aquilegia vulgaris</i>	columbine	KTNC-1990.
<i>Arabidopsis thaliana</i>	thale cress	KTNC-1990.
<i>Arctium lappa</i>	burdock	KTNC-1990.
<i>Arctium minus</i>	lesser burdock	KTNC-1990.
<i>Arrhenatherum elatius</i>	false oat-grass	KWT-2004. KTNC-1990.
<i>Arum maculatum</i>	lord's-and-ladies	KWT-2004. KTNC-1990.
<i>Ballota nigra</i>	black horehound	KWT-2004.
<i>Barbarea vulgaris</i>	winter-cress	KTNC-1990.
<i>Bellis perennis</i>	daisy	KWT-2004. KTNC-1990.
<i>Betula pendula</i>	silver birch	KWT-2004. KTNC-1990.
<i>Betula pubescens</i>	downy birch	KWT-2004. KTNC-1990.
<i>Borago officinalis</i>	borage	KTNC-1990.
<i>Bromus hordeaceus</i>	soft-brome	KTNC-1990.
<i>Callitriche stagnalis</i>	common water-starwort	KWT-2004. KTNC-1990.
<i>Calluna vulgaris</i>	ling	KWT-2004. KTNC-1990.
<i>Calystegia sepium</i>	hedge bindweed	KTNC-1990.
<i>Campanula rotundifolia</i>	harebell	KWT-2004. KTNC-1990.
<i>Campanula trachelium</i>	nettle-leaved bellflower	KTNC-1990.
<i>Capsella bursa-pastoris</i>	shepherd's-purse	KTNC-1990.
<i>Cardamine flexuosa</i>	wavy bitter-cress	KWT-2004.
<i>Cardamine hirsuta</i>	hairy bitter-cress	KWT-2004.
<i>Cardamine pratensis</i>	cuckooflower	KWT-2004. KTNC-1990.
<i>Carex caryophyllea</i>	spring-sedge	Cl. KTNC-1990.
<i>Carex pilulifera</i>	pill sedge	KWT-2004.
<i>Carex sylvatica</i>	wood-sedge	KWT-2004.
<i>Carpinus betulus</i>	hornbeam	KWT-2004. KTNC-1990.
<i>Castanea sativa</i>	sweet chestnut	KWT-2004.
<i>Centaurea nigra</i>	common knapweed	KWT-2004. KTNC-1990.
<i>Centaurea scabiosa</i>	greater knapweed	KTNC-1990.
<i>Cerastium fontanum</i>	common mouse-ear	KWT-2004. KTNC-1990.

<i>Cerastium glomeratum</i>	sticky mouse-ear	KWT-2004. KTNC-1990.
<i>Chaerophyllum temulentum</i>	rough chervil	KTNC-1990.
<i>Chamerion angustifolium</i>	rosebay willowherb	KWT-2004. KTNC-1990.
<i>Chelidonium majus</i>	greater celandine	KTNC-1990.
<i>Chenopodium album</i>	fat-hen	KTNC-1990.
<i>Chenopodium polyspermum</i>	many-seeded goosefoot	KTNC-1990.
<i>Circaea lutetiana</i>	enchanter's-nightshade	KWT-2004. KTNC-1990.
<i>Cirsium arvense</i>	creeping thistle	KWT-2004. KTNC-1990.
<i>Cirsium vulgare</i>	spear thistle	KWT-2004. KTNC-1990.
<i>Clematis vitalba</i>	traveller's- joy	KTNC-1990.
<i>Clinopodium vulgare</i>	wild basil	KTNC-1990.
<i>Convolvulus arvensis</i>	field bindweed	KTNC 1990
<i>Cornus sanguinea</i>	dogwood	KTNC-1990.
<i>Coronopus squamatus</i>	swine-cress	KTNC-1990.
<i>Corylus avellana</i>	hazel	KWT-2004. KTNC-1990.
<i>Crassula helmsii</i>	New Zealand stonecrop	KWT-2004.
<i>Crataegus laevigata</i>	midland hawthorn	KWT-2004.
<i>Crataegus monogyna</i>	hawthorn	KWT-2004. KTNC-1990.
<i>Cynoglossum officinale</i>	hound's-tongue	KTNC-1990.
<i>Cynosurus cristatus</i>	crested dog's-tail	KTNC-1990.
<i>Cytisus scoparius</i>	broom	KWT-2004. KTNC-1990.
<i>Dactylis glomerata</i>	cock's-foot	KWT-2004. KTNC-1990.
<i>Dactylorhiza fuchsii</i>	common spotted-orchid	Colin Robbins - 2004
<i>Deschampsia flexuosa</i>	wavy hair-grass	KWT-2004. KTNC-1990.
<i>Digitalis purpurea</i>	foxglove	KWT-2004. KTNC-1990.
<i>Dryopteris dilatata</i>	broad buckler-fern	KWT-2004.
<i>Dryopteris filix-mas</i>	male fern	KWT-2004.
<i>Elytrigia repens</i>	common couch	KTNC-1990.
<i>Epilobium hirsutum</i>	great willowherb	KWT-2004.
<i>Epilobium montanum</i>	broadleaved willowherb	KTNC-1990.
<i>Euonymus europaeus</i>	spindle	KTNC-1990.
<i>Euphorbia heloscopia</i>	sun spurge	KTNC-1990.
<i>Euphorbia peplus</i>	petty spurge	KTNC-1990.
<i>Fagus sylvatica</i>	beech	KTNC-1990.
<i>Fallopia convolvulus</i>	black-bindweed	KTNC-1990.
<i>Festuca arundinacea</i>	tall fescue	KWT-2004.
<i>Festuca ovina</i>	sheep's-fescue	KWT-2004.
<i>Festuca pratensis</i>	meadow fescue	KTNC-1990.
<i>Festuca rubra</i>	red fescue	KWT-2004. KTNC-1990.
<i>Fragaria vesca</i>	wild strawberry	KTNC-1990.
<i>Fraxinus excelsior</i>	ash	KWT-2004. KTNC-1990.
<i>Fumaria officinalis</i>	common fumitory	KTNC-1990.
<i>Galanthus nivalis</i>	snowdrop	KWT-2004. KTNC-1990.
<i>Galium aparine</i>	cleavers	KWT-2004. KTNC-1990.
<i>Galium mollugo</i>	hedge-bedstraw	KTNC-1990.
<i>Galium saxatile</i>	heath bedstraw	KWT-2004. KTNC-1990.
<i>Gallium palustre</i>	common marsh-bedstraw	KTNC-1990.
<i>Geranium dissectum</i>	cut-leaved crane's-bill	KWT-2004. KTNC-1990.
<i>Geranium molle</i>	dove's-foot crane's-bill	KTNC-1990.
<i>Geranium robertianum</i>	herb Robert	KWT-2004. KTNC-1990.
<i>Geum urbanum</i>	wood avens	KWT-2004. KTNC-1990.
<i>Glechoma hederacea</i>	ground-ivy	KWT-2004. KTNC-1990.
<i>Glyceria fluitans</i>	floating sweet-grass	KWT-2004. KTNC-1990.
<i>Gnaphalium uliginosum</i>	marsh cudweed	KTNC-1990.
<i>Hedera helix</i>	ivy	KWT-2004. KTNC-1990.
<i>Helictotrichon pratensis</i>	meadow oat-grass	KTNC-1990.

<i>Heracleum sphondylium</i>	hogweed	KWT-2004. KTNC-1990.
<i>Hieracium</i> sp.	a hawkweed species	KWT-2004.
<i>Holcus lanatus</i>	Yorkshire fog	KWT-2004. KTNC-1990.
<i>Holcus mollis</i>	creeping soft-grass	KWT-2004.
<i>Hyacinthoides hispanicus</i>	Spanish bluebell	KWT-2004. KTNC-1990.
<i>Hyacinthoides non-scripta</i>	bluebell	KWT-2004. KTNC-1990.
<i>Hypericum hirsutum</i>	hairy St. John's-wort	KTNC-1990.
<i>Hypericum humifusum</i>	trailing St. John's-wort	KTNC-1990.
<i>Hypochaeris radicata</i>	cat's-ear	KWT-2004. KTNC-1990.
<i>Ilex aquifolium</i>	holly	KWT-2004. KTNC-1990.
<i>Impatiens glandulifera</i>	Indian balsam	KTNC-1990.
<i>Iris pseudacorus</i>	yellow iris	KWT-2004.
<i>Juncus articulatus</i>	jointed rush	KWT-2004.
<i>Juncus conglomeratus</i>	compact rush	KWT-2004.
<i>Juncus effusus</i>	soft-rush	KWT-2004. KTNC-1990.
<i>Lamium galeobdolon</i> ssp. <i>argentatum</i>	non-native yellow archangel	KWT-2004.
<i>Lamium galeobdolon</i> ssp. <i>montanum</i>	yellow archangel	KWT-2004. KTNC-1990.
<i>Lamium album</i>	white deadnettle	KWT-2004. KTNC-1990.
<i>Lamium purpureum</i>	red deadnettle	KTNC-1990.
<i>Lapsana communis</i>	nipplewort	KTNC-1990.
<i>Lathyrus pratensis</i>	meadow vetchling	KTNC-1990.
<i>Leontodon autumnalis</i>	autumn hawkbit	KWT-2004.
<i>Lepidium draba</i>	hoary cress	KTNC-1990.
<i>Leucanthemum vulgare</i>	oxeye daisy	KTNC-1990.
<i>Lolium perenne</i>	perennial rye-grass	KWT-2004. KTNC-1990.
<i>Lolium perenne</i> subsp. <i>multiflorum</i>	Italian rye-grass	KTNC-1990.
<i>Lonicera periclymenum</i>	honeysuckle	KWT-2004. KTNC-1990.
<i>Lotus corniculatus</i>	bird's-foot-trefoil	KWT-2004. KTNC-1990.
<i>Lotus pedunculatus</i>	greater bird's-foot-trefoil	KTNC-1990.
<i>Luzula campestris</i>	field wood-rush	KWT-2004. KTNC-1990.
<i>Luzula multiflora</i>	heath wood-rush	KWT-2004.
<i>Lysimachia nummularia</i>	creeping-jenny	KWT-2004.
<i>Malus domestica</i>	crab apple	KWT-2004. KTNC-1990.
<i>Matricaria discoidea</i>	pineappleweed	KTNC-1990.
<i>Mecanopsis cambrica</i>	welsh poppy	KTNC-1990.
<i>Medicago arabica</i>	spotted medick	KTNC-1990.
<i>Medicago lupulina</i>	black medick	KTNC-1990.
<i>Medicago minima</i>	bur medick	KTNC-1990.
<i>Mercurialis annua</i>	annual mercury	KTNC-1990.
<i>Mercurialis perennis</i>	dog's-mercury	KTNC-1990.
<i>Moehringia trinervia</i>	three-nerved sandwort	KTNC-1990.
<i>Muscari</i> sp.	non-native grape hyacinth	KWT-2004.
<i>Myosotis arvensis</i>	field forget-me-not	KTNC-1990.
<i>Narcissus</i> agg.	non-native daffodil	KWT-2004.
<i>Oxalis articulata</i>	pink-sorrel	KTNC-1990.
<i>Oxalis corniculata</i>	procumbent yellow-sorrel	KTNC-1990.
<i>Papaver rhoeas</i>	common poppy	KTNC-1990.
<i>Papaver somniferum</i>	opium poppy	KTNC-1990.
<i>Pastinaca sativa</i>	wild parsnip	KTNC-1990.
<i>Pentaglottis sempervirens</i>	green alkanet	KWT-2004.
<i>Persicaria maculosa</i>	redshank	KTNC-1990.
<i>Petasites fragrans</i>	winter heliotrope	KWT-2004. KTNC-1990.
<i>Phleum pratense</i>	Timothy	KTNC-1990.
<i>Pimpinella major</i>	greater burnet-saxifrage	KTNC-1990.

<i>Plantago lanceolata</i>	ribwort plantain	KWT-2004. KTNC-1990.
<i>Plantago major</i>	greater plantain	KWT-2004. KTNC-1990.
<i>Poa annua</i>	annual meadow-grass	KWT-2004. KTNC-1990.
<i>Poa nemoralis</i>	wood meadow-grass	KTNC-1990.
<i>Poa pratensis</i>	smooth meadow-grass	KWT-2004. KTNC-1990.
<i>Poa trivialis</i>	rough meadow-grass	KWT-2004. KTNC-1990.
<i>Polygonum aviculare</i>	knotgrass	KTNC-1990.
<i>Polygonum lapathifolium</i>	pale persicaria	KTNC-1990.
<i>Potentilla anserina</i>	silverweed	KTNC-1990.
<i>Potentilla erecta</i>	tormentil	KWT-2004. KTNC-1990.
<i>Potentilla reptans</i>	creeping cinquefoil	KTNC-1990.
<i>Potentilla sterilis</i>	barren strawberry	KTNC-1990.
<i>Primula vulgaris</i>	primrose	KWT-2004. KTNC-1990.
<i>Prunella vulgaris</i>	selfheal	KTNC-1990.
<i>Prunus avium</i>	wild cherry	KWT-2004. KTNC-1990.
<i>Prunus domestica</i>	wild plum	KWT-2004. KTNC-1990.
<i>Prunus padus</i>	bird cherry	KTNC-1990.
<i>Prunus spinosa</i>	blackthorn	KWT-2004. KTNC-1990.
<i>Pteridium aquilinum</i>	bracken	KWT-2004. KTNC-1990.
<i>Pulicaria dysenterica</i>	common fleabane	KTNC-1990.
<i>Quercus petraea</i>	sessile oak	KWT-2004.
<i>Quercus robur</i>	pedunculate oak	KWT-2004. KTNC-1990.
<i>Ranunculus acris</i>	meadow buttercup	KWT-2004. KTNC-1990.
<i>Ranunculus aquatilis</i>	common water-crowfoot	KWT-2004. KTNC-1990.
<i>Ranunculus auricomus</i>	goldilocks buttercup	KTNC-1990.
<i>Ranunculus bulbosus</i>	bulbous buttercup	KWT-2004. KTNC-1990.
<i>Ranunculus ficaria</i>	lesser celandine	KWT-2004. KTNC-1990.
<i>Ranunculus repens</i>	creeping buttercup	KWT-2004. KTNC-1990.
<i>Rosa arvensis</i>	field rose	KWT-2004. KTNC-1990.
<i>Rosa canina</i>	dog rose	KWT-2004. KTNC-1990.
<i>Rubus acetosa</i>	common sorrel	KWT-2004. KTNC-1990.
<i>Rubus acetosella</i>	sheep's-sorrel	KWT-2004. KTNC-1990.
<i>Rubus fruticosus</i> agg.	bramble	KWT-2004. KTNC-1990.
<i>Rubus idaeus</i>	raspberry	KWT-2004. KTNC-1990.
<i>Rumex conglomeratus</i>	clustered dock	KWT-2004. KTNC-1990.
<i>Rumex obtusifolius</i>	broadleaved dock	KWT-2004. KTNC-1990.
<i>Rumex sanguineus</i>	wood dock	KWT-2004. KTNC-1990.
<i>Ruscus aculeatus</i>	butcher's-broom	KTNC-1990.
<i>Sagina apetala</i>	annual pearlwort	KTNC-1990.
<i>Salix caprea</i>	goat willow	KWT-2004. KTNC-1990.
<i>Salix cinerea</i> ssp. <i>oleifolia</i>	sallow	KWT-2004.
<i>Sambucus nigra</i>	elder	KWT-2004. KTNC-1990.
<i>Scrophularia auriculata</i>	water figwort	KTNC-1990.
<i>Sedum telephium</i>	orpine	KTNC-1990.
<i>Senecio jacobaea</i>	ragwort	KTNC-1990.
<i>Senecio vulgaris</i>	groundsel	KTNC-1990.
<i>Silene dioica</i>	red campion	KWT-2004. KTNC-1990.
<i>Sinapis arvensis</i>	charlock	KTNC-1990.
<i>Sisymbrium officinale</i>	hedge mustard	KTNC-1990.
<i>Solanum dulcamara</i>	bittersweet	KWT-2004. KTNC-1990.
<i>Sonchus arvensis</i>	perennial sow-thistle	KTNC-1990.
<i>Sonchus asper</i>	prickly sow-thistle	KTNC-1990.
<i>Sonchus oleraceus</i>	smooth sow-thistle	KTNC-1990.
<i>Sorbus aria</i>	common whitebeam	KWT-2004.
<i>Sorbus aucuparia</i>	rowan	KWT-2004.
<i>Stachys palustris</i>	marsh woundwort	KTNC-1990.

<i>Stachys sylvatica</i>	hedge woundwort	KTNC-1990.
<i>Stellaria graminea</i>	lesser stitchwort	KWT-2004. KTNC-1990.
<i>Stellaria holostea</i>	greater stitchwort	KWT-2004. KTNC-1990.
<i>Stellaria media</i>	common chickweed	KWT-2004. KTNC-1990.
<i>Stellaria pallida</i>	lesser chickweed	KWT-2004.
<i>Stellaria uliginosa</i>	bog stitchwort	KTNC-1990.
<i>Tamus communis</i>	black bryony	KTNC-1990.
<i>Taraxacum officinale</i> agg.	dandelion	KWT-2004. KTNC-1990.
<i>Taxus baccata</i>	yew	KWT-2004.
<i>Teucrium scorodonia</i>	wood sage	KWT-2004. KTNC-1990.
<i>Torilis japonica</i>	upright hedge-parsley	KTNC-1990.
<i>Trifolium campestre</i>	hop trefoil	KTNC-1990.
<i>Trifolium hybridum</i>	alsike clover	KTNC-1990.
<i>Trifolium pratense</i>	red clover	KWT-2004. KTNC-1990.
<i>Trifolium repens</i>	white clover	KWT-2004.
<i>Tussilago farfara</i>	colt's-foot	KWT-2004. KTNC-1990.
<i>Typha latifolia</i>	bulrush	KWT-2004. KTNC-1990.
<i>Ulex europaeus</i>	gorse	KWT-2004. KTNC-1990.
<i>Ulex gallii</i>	western gorse	CI. KWT-2004. KTNC-1990.
<i>Urtica dioica</i>	common nettle	KWT-2004. KTNC-1990.
<i>Valerianella locusta</i>	common cornsalad	KTNC-1990.
<i>Verbena officinalis</i>	vervain	KTNC-1990.
<i>Veronica arvensis</i>	wall speedwell	KTNC-1990.
<i>Veronica chamaedrys</i>	germander speedwell	KWT-2004. KTNC-1990.
<i>Veronica filiformis</i>	slender speedwell	KTNC-1990.
<i>Veronica hederifolia</i>	ivy-leaved speedwell	KTNC-1990.
<i>Veronica montana</i>	wood speedwell	KWT-2004. KTNC-1990.
<i>Veronica officinalis</i>	heath speedwell	KTNC-1990.
<i>Veronica persica</i>	common field speedwell	KTNC-1990.
<i>Veronica polita</i>	grey field speedwell	KTNC-1990.
<i>Veronica serpyllifolia</i>	thyme-leaved speedwell	KTNC-1990.
<i>Viburnum lantana</i>	wayfaring-tree	KTNC-1990.
<i>Viburnum opulus</i>	guelder-rose	KTNC-1990.
<i>Vicia cracca</i>	tufted vetch	KTNC-1990.
<i>Vicia sativa</i>	common vetch	KWT-2004. KTNC-1990.
<i>Vicia sepium</i>	bush vetch	KTNC-1990.
<i>Vinca major</i>	greater periwinkle	KTNC-1990.
<i>Vinca minor</i>	lesser periwinkle	KTNC-1990.
<i>Viola odorata</i>	sweet violet	KTNC-1990.
<i>Viola reichenbachiana</i>	early dog-violet	KTNC-1990.
<i>Viola riviniana</i>	common dog-violet	KWT-2004. KTNC-1990.